application and notice is hereby given to the public that if any other relative, friend, kinsman or well-wisher of the aforesaid minor desirous of being appointed or declared as guardian to the person and property of the aforesaid minor, he should enter appearance in person in this Court on the aforesaid date and be prepared to adduce on that day any documentary and oral evidence he may desire to adduce in support of his claim to such appointment or declaration.

Given under my hand and the seal of the Court, this 20th day of February 1939.

K. R. THIMMARAYA SETTY,
Munsiff.

THE BANK OF MYSORE, LIMITED, BANGALORE.

Statement of the affairs of the Bank of Mysore, Limited, for the week ending 24th February 1939, published under Article 141 of the Articles of Association.

LIABILITIES	Rs.	ASSETS	Rs.
To Capital Receipts ..	20,00,000	By Cash in hand and at Bankers ..	16,97,804
,, Reserve Fund ..	26,50,000	,, Loans and Cash Credit Accounts	1,87,78,467
,, Public and other Deposits	2,67,99,817	,, Bills discounted and purchased ..	11,66,868
,, Sundries ..	1,61,648	,, Investments	91,00,793
		,, Balance at Agencies	..
		,, Dead Stock	7,87,805
		,, Sundries	79,728
Total	3,16,11,465	Rs.	3,16,11,465

(Annas and pies omitted.)

BANGALORE,
Dated 28th February 1939.

F. L. PERADON,
Manager.

GOVERNMENT OF MYSORE, STORES PURCHASE COMMITTEE, BANGALORE.

No. S. P. C. 22411-20, *dated 25th February* 1939.

To

The Firms dealing in Blankets.

Enquiry No. 3309.

BLANKETS REQUIRED FOR THE HOSPITALS.

DEAR SIR/GENTLEMEN,

Please be good enough to intimate your best prices and the earliest time of delivery for the materials described in the form printed below.

It should be distinctly understood that the acceptance by us of your quotation will be subject to the following conditions :—

Withdrawal from the quotation after it is accepted or failure to make the supply within the specified time or according to specifications will entail cancellations of the order and purchases being made at your expense from other sources in addition to the levy of a penalty of 3 per cent of the value of the order as and by way of liquidated damages. In such an event, the Stores Purchase Committee reserve the right to remove your name from the list of approved firms.

The quotations should be superscribed "Quotations for Hospital Blankets" with the above enquiry Number.

This enquiry will be closed on the 10th March 1939.

Schedule.

Item No.	Description of material offered	Quantity	Price quoted F. O. R.	Time of delivery
		Any Railway Station or Out-Agency in the State.		
1	Scarlet Blankets with whipped ends size 90″×60″ weight 4 to 5 lbs	74		
2	Grey Blankets with whipped ends size 90″×60″ weight 4 to 5 lbs.	25		

N.B.—(1) The samples of cuttings of Blankets offered should accompany your quotation.
(2) The weight of the Blankets offered should be specified.

No. S. P. C. 22656-86, dated 25th February 1939.

To

The Firms dealing in Electric Pumping Sets.

Enquiry No. 3313.

ELECTRIC PUMPING SET FOR DAVANGERE WATER WORKS.

GENTLEMEN,

Please be good enough to intimate your best prices and the earliest time of delivery for the Electric Pumping Set conforming to the following specification :—

It should be distinctly understood that the acceptance by us of your quotation will be subject to the following conditions :—

Withdrawal from the quotation after it is accepted or failure to make the supply within the specified time or according to specifications will entail cancellations of the order and purchases being made at your expense from other sources in addition to the levy of a penalty of 3 per cent of the value of the order as and by way of liquidated damages. In such an event, the Stores Purchase Committee reserve the right to remove your name from the list of approved firms.

The quotations should be superscribed "Quotations for the Electric Pumping Set for Davangere Water Works" with the above enquiry Number.

This enquiry will be closed on the 13th March 1939.

SPECIFICATION FOR THE SUPPLY OF ONE ELECTRIC MOTOR DRIVEN PUMPING SET FOR DAVANGERE WATER WORKS, HARIHAR.

General.—One electric motor dirven driect coupled pumping set is required for use in the pumping Station of Davangere Water Works at Harihar for serving as a wash pump during the washing of the Gravity filters erected in the pumping station. The pump is meant to deal with filtered water during its working for pumping filtered water from the sump pit to the gravity filters during the period of washing of filters. The pumping set should be directly coupled by means of flexible coupling and fixed in position on a common C. I. base plate and the same tested and certified to give the specified discharge at the specified head.

Motor.—The motor should be drip proof, induction type suitable for 220 volts 25 cycles, 3 phase alternating current power supply. The winding of the motor should be properly insulated to withstand the temperature of tropical climate. The efficiency on the power factor of the motor should be as high as possible. The motor should be provided with ball or roller bearings and should be supplied with a suitable auto-transformer starter with no volt and overload relays. The motor should have between 10 to 15 per cent overload capacity so that it may stand overloading continuously in case of necessity. The horse power of the motor may be suited to the specific duty of the pump and the overload capacity noted above. The starting equipment should include one Ammeter and one volt meter.

The Pump.—The pump should be a centrifugal pump having a capacity of pumping 1,400 gallons of filtered water per minute and forcing it against a total head of 40 ft. from all causes, the suction lift being limited to 10 ft.

The pump casing should be made of close grained C. I. and it should be preferably split horizontally with faces accurately machined to make a water-tight joint and the flanges held together by machine made bolts. The pump should be self balanced and hence it may be of double entry type.

Impeller.—The Impeller should be made of hard phosphorbronze material and all blanks, sleeves should be made of gun metal or other non-corrosive material. It should be fitted with ball-end thrust bearing to take up residual thrust if any.

Shaft.—The shaft shall be of high quality forged steel or stainless steel, if possible and it should be carefully and accurately machined and ground. It should have sleeves made of gun metal or other non-corrosive material at all the wearing points so that the wear on the shaft may be kept at a minimum.

Bearings.—The bearings may be ball or roller bearings.

Glands.—The glands may be of split variety in the case of horizontally split casing type and shall be provided with a suitable water seal arrangement. They should have renewable sleeves on the shaft so that the shaft may not be damaged by frequent tightening of the packing.

The motor and pump should be directly coupled by suitable flexible couplings on a common cast-iron bed plate provided with dowels and pins to ensure correct alignment. The pump should be provided with air release cock and funnel for priming. It should also be provided with one vacuum and with one pressure gauge for the suction and delivery sides, respectively.

One delivery valve and one reflux valve suited to the discharge opening of the pump should also be supplied.

Quotation may be separately given for supplying one foot valve and strainer suited to the suction pipe of the pump.

Preference will be given for immediate supply fromstock. All quotations should be F. O. R., Harihar Railway Station on the Bangalore-Poona Line.

GOVERNMENT OF MYSORE, STORES PURCHASE COMMITTEE, BANGALORE.

No. S. P. C. 22421-40, *dated 27th February* 1939.

To

The Firms dealing in Motor Lorries.

Enquiry No. 3308.

MOTOR LORRY REQUIRED FOR THE NEW TANK WORK AT THIPPAGANAHALLI.

GENTLEMEN,

Please be good enough to intimate your best prices for delivery f.o.r., Kolar, and the earliest time of delivery for the materials described below :—

Four Cylinder Diesel engine driven lorry of 2½ ton loading capacity complete with open type lorry body and driver's cabin with doors. The sides of the body should be 1½ ft. high and collapsible .. .. One.

List of accessories, tools and spare parts to be supplied with the lorry should be furnished separately.

It should be distinctly understood that the acceptance by us of your quotation will be subject to the following conditions :—

Withdrawal from the quotation after it is accepted or failure to make the supply within the specified time or according to specifications will entail cancellation of the order and purchases being made at your expense from other sources in addition to the levy of a penalty of 3 per cent of the value of the order as and by way of liquidated damages. In such an event, the Stores Purchase Committee reserve the right to remove your name from the list of approved firms.

The quotations should be superscribed "Quotations for Motor Lorry" with the above enquiry Number.

This enquiry will be closed on the 15th March 1939.

No. S. P. C. 22774-8, *dated 27th February* 1939.

To

The Firms dealing in Platform Weighing Machine.

Enquiry No. 3315.

PLATFORM WEIGHING MACHINE.

DEAR SIR/GENTLEMEN,

Please be good enough to intimate your best prices and the earliest time of delivery for the material described in the attached schedule, in the form printed below.

It should be distinctly understood that the acceptance by us of your quotation will be subject to the following conditions :—

Withdrawal from the quotation after it is accepted or failure to make the supply within the specified time or according to specifications will entail cancellations of the order and purchases being made at your expense from other sources in addition to the levy of a penalty of 3 per cent of the value of the order as and by way of liquidated damages. In such an event, the Stores Purchase Committee reserve the right to remove your name from the list of approved firms.

The quotations should be superscribed "Quotations for Platform Weighing Machine" with the above enquiry Number.

This enquiry will be closed on the 13th March 1939.

SCHEDULE.

Item No.	Description of material offered	Quantity	Price quoted F. O. R.	Time of delivery
	Platform weighing machine of 10 cwts. capacity, size of platform 50″×30″. The machine should be mounted on 4 wheels and must have hardened knife edges and self-adjusting bearings. They should possess strong steel back rail to support goods. The steel yard should be chromium plated.	One.	Shimoga.	

Yours faithfully,
T. RANGASWAMI,
Secretary,
Stores Purchase Committee.

No. S. P. C. 22785, *dated* 24—25*th February* 1939.

NOTICE.

Enquiry No. 3278.

EQUIPMENT REQUIRED FOR THE MECHANICAL SECTION OF THE COLLEGE OF ENGINEERING, BANGALORE.

The closing date of the above Enquiry, published on page 253 of Part VI of the *Mysore Gazette*, dated 2nd February 1939, is extended from 28th February 1939 to 15th March 1939.

T. RANGASWAMI,
Secretary,
Stores Purchase Committee.